




RAD Power Machinery Co., Ltd.

INA NK35/20-TV needle roller bearings



Bearing No. NK35/20-TV

NK35/20-TV Bearing 2D drawings and 3D CAD models

Size	35x45x20 mm
Bore Diameter	35 mm
Outer Diameter	45 mm
Width	20 mm
F_w	35 mm
D	45 mm
C	20 mm
r_{min}	0,3 mm
m	69,4 g / Weight
C_r	31000 N / Dynamic load rating (radial)
C_{Or}	48500 N / Static load rating (radial)
C_{ur}	8500 N / Fatigue limit load, radial
n_G	12900 1/min / Limiting speed
n_B	6800 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	1.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.07
EAN	4012802058543
Product Group	B04144
Rolling Element	Needle Roller Bearing



RAD Power Machinery Co., Ltd.

Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	35MM Bore; 45MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Other Features	2 Rib Outer Ring Radial Precision Steel Cage Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.99.65.30
Noun	Roller Assembly with Outer Ring
Keyword String	Bearing Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NK35/20
Weight / LBS	0.163
Bore	1.378 Inch 35 Millimeter
Outside Diameter	1.772 Inch 45 Millimeter



RAD Power Machinery Co., Ltd.

Width	0.787 Inch 20 Millimeter
-------	----------------------------